





Pump performance data		
MODEL: T ECO MAG-M1	Curve N°: 10778	Rev.:01
ITEM:	Power [kW]:	
Project:	1450 RPM	



TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%




Pump performance data		
MODEL: T ECO MAG-M2	Curve N°: 10779	Rev.:01
ITEM:	Power [kW]:	
Project:	1450 RPM	



TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: T ECO MAG-M3	Curve N°: 10780	Rev.:01
ITEM:	Power [kW]:	
Project:	1450 RPM	






TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: T ECO MAG-M4	Curve N°: 12240	Rev.:01
ITEM:	Power [kW]:	
Project:	1450 RPM	

US G.P.M.






TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: T ECO MAG-M5	Curve N°: 12239	Rev.:01
ITEM:	Power [kW]:	
Project:	1450 RPM	

US G.P.M.






TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%



Pump performance data		
MODEL: T ECO MAG-M6	Curve N°: 12238	Rev.:01
ITEM:	Power [kW]:	
Project:	1450 RPM	

US G.P.M.



TOTAL HEAD AND CAPACITY TOLERANCE ±10% POWER TOLERANCE +10%